

LIFETIME ASSESSMENT OF RADIANT BURNERS MADE OF SHS-INTERMETALLICS*

A. MAZNOY

Tomsk Scientific Center SB RAS, 10/4 Akademicheskii pr., Tomsk, 634055, Russia, maznoy_a@mail.ru, +79234124765

During the last decade, thin-shell radiant burners [1] made of porous SHS-intermetallics [2] have been developing in TSC SB RAS. Low oxidation resistance is a barrier to the successful commercialization of the burners. My presentation will be focused on recent results and prospects for the high-temperature oxidation resistance of porous Ni-Al-Cr intermetallics. The first results have shown that porous SHS-intermetallics with spheroidal elements of 1-2 mm in diameter can work for one year or more at 1000-1100 °C (Fig.1).




Fig.1. Arrhenius diagrams of k_p vs $10000/T$ for oxidation of SHS-porous alloys. Lines are literature data: 1 – NiO scale over Ni [3], 2 – pure Ni₃Al [4], 3 – Ni-11.8wt.%Al alloy [3], 4 – pure Ni₃Al [5], 5 – IC221M alloy (Ni₃Al + Cr-Zr-Mo-B) [6], 6 – nanocrystalline Ni₃Al made by MA & SPS [7], 7 – powder-metallurgical Ni₃Al [8], 8 – pure Ni₃Al [3], 9 – α -Al₂O₃ scale over B2-NiAl or NiAl-Cr [9], 10 – porous NiAl [10].

REFERENCES

- [1] A. Maznoy, N. Pichugin, I. Yakovlev, R. Fursenko, D. Petrov, S.S. Shy, "Fuel Interchangeability for Lean Premixed Combustion in Cylindrical Radiant Burner Operated in the Internal Combustion Mode," *Appl. Therm. Eng.* vol. 186, no. 115997. March 2021.
- [2] A. Maznoy, A. Kirdyashkin, V. Kitler, N. Pichugin, V. Salamatov, K. Tcoi, "Self-propagating high-temperature synthesis of macroporous B2+L1₂ Ni-Al intermetallics used in cylindrical radiant burners," *J. Alloys Compd.* vol. 792, pp. 561–573, July 2019.
- [3] J.D. Kuenzly, D.L. Douglass, "The oxidation mechanism of Ni₃Al containing yttrium," vol. 8, pp. 139–178. June 1974.
- [4] S. Taniguchi, T. Shibata, H. Tsuruoka, "Isothermal oxidation behavior of Ni₃Al-0.1B base alloys containing Ti, Zr, or Hf additions," *Oxid. Met.* 1986 261. vol. 26, pp. 1–17. August 1986.
- [5] S.C. Choi, H.J. Cho, Y.J. Kim, D.B. Lee, "High-temperature oxidation behavior of pure Ni₃Al," *Oxid. Met.* vol. 46, pp. 51–72. August 1996.
- [6] D.B. Lee, M.L. Santella, "High temperature oxidation of Ni₃Al alloy containing Cr, Zr, Mo, and B," *Mater. Sci. Eng. A.* vol. 374, pp. 217–223. June 2004.
- [7] G. Cao, L. Geng, Z. Zheng, M. Naka, "The oxidation of nanocrystalline Ni₃Al fabricated by mechanical alloying and spark plasma sintering," *Intermetallics.* vol. 15, pp. 1672–1677. December 2007.
- [8] P. Pérez, J.L. González-Carrasco, P. Adeva, "Oxidation behavior of a Ni₃Al PM alloy," *Oxid. Met.* vol. 48, pp. 143–170. August 1997.
- [9] M.W. Brumm, H.J. Grabke, "The oxidation behaviour of NiAl-I. Phase transformations in the alumina scale during oxidation of NiAl and NiAl-Cr alloys," *Corros. Sci.* vol. 33, pp. 1677–1690. November 1992.
- [10] H.X. Dong, Y. Jiang, Y.H. He, J. Zou, N.P. Xu, B.Y. Huang, C.T. Liu, P.K. Liaw, "Oxidation behavior of porous NiAl prepared through reactive synthesis," *Mater. Chem. Phys.* vol. 122, pp. 417–423. August 2010.

* The research was funded by Russian Science Foundation (project № 21-79-10445).